

MHS booking widget

myhotelshop offers his website clients his own optimized booking widget with an tab function.

- [What is it all about?](#)
 - [Which parameters can be transferred to the IBE?](#)
 - [What does multi-booking widget mean?](#)
- [Functional Description](#)
 - [Booking Function](#)
 - [Singel Hotel & Chain Function](#)
 - [Tab Function](#)
- [Behaviour Description](#)
- [Design Function](#)
- [SQUARE & CLASSICO booking widget vs. BECOME booking widget](#)

What is it all about?

Which parameters can be transferred to the IBE?

Not all IBE can handle all of our parameters!

- Hotel (for chains)
- date of arrival (default: today)
- date of departure (default: today+1)
- disable calender before a special date `disableBefore: undefined, // When not defined, it takes today (format: DD.MM.YYYY)`
- minimum bookable stay `minBookableDays: 0, // 0 means 1 night`
- number of rooms (default: can be set individually)
- number of adults (default: can be set individually)
- number of children (default: can be set individually)
- age of children (default: can be set individually)
- language (no limit)
- currency (can be added) `currency: 'CHF', // add to predefinedDeeplinkParameters`

i Important: In our technical background we can only assign people to the rooms. We can't say we have in total two rooms, three adults and two children. We need to say in the first room are two adults and one child and in the second room are one adult and one child.

What does multi-booking widget mean?

Next to our new booking function we also offer the opportunity to add a **tab bar**. Here the hotel can place important information and add an internal /external link to it.

We also have a **custom infobox** (limited lettering) for e. g. sales code, best price offers, ...

Functional Description

Booking Function

The booking widget has 1 redirect option:

DEEPLINK

- based on user inputs (see behaviour description) or
- redirecting with default values if there are no user inputs.

The booking widget has 1 mobil option (simple button):

DEFAULT LINK

Singel Hotel & Chain Function

You have all in one widget. You just need to comment out/in the different lines in the JS code.

Tab Function

The Tab function is **optional**.

- ONLY on main page, tabs won't be shown on subpages
- ONLY if not sticky
- Minimum tabs: 3
- Maximum tabs: 5 (recommended)

Behaviour Description

User Input	Behaviour
All parameters are set	Custom URL
Only Arrival or Departure is set	Widget forces user to choose hotel (only for chains) Hands over dates and default value for adults/children to IBE
Only People are set	Hands over People to IBE and arrival date is today and departure date is today+1
No params are set	Custom URL (default values were hand over)
language	will be handed over



Design Function

You can change all colors and also the used font in the CSS tab of you Sitejet project.

Important:

- every thing should be easy to read (except. invalid dates)
- Booking button and direct booking USP in tab should have same color.
- Use a colorful button

SQUARE & CLASSICO booking widget vs. BECOME booking widget

	Square & Classico version	Be.come version
Layout	 <ul style="list-style-type: none"> • vertikal • underneath the header image 	 <ul style="list-style-type: none"> • horizontal • in sidebar left or right
Chain-Option	✓	✗
Tab-Option	✓	✗
Sticky mode	✓ but without tabs (sticks to top or bottom)	✓ only with button (can be clicked an then widget opens)
Parameters	arrival, departure, hotel select for chains, room-options with adults, children and children age (children are optional)	arrival, departure, room-options with adults, children and children age (children are optional)
mobile	sticky button	sticky button